Develop a Winning Case Strategy

1





3

```
Pressure function in the fluid P(x,y,z) = \rho g(H-y)

\overrightarrow{dF} = \text{Force exerted on the body by the fluid at the infinitesimal surface area } \overrightarrow{dA}

Let \overrightarrow{dF_y} be the y-component of \overrightarrow{dF} and \overrightarrow{P} = \rho g(H-y)\hat{j}

So, \overrightarrow{dF_y} = -(\overrightarrow{dA} \cdot \overrightarrow{P})\hat{j}

Magnitude of net buoyant force

= \oint_A ||\overrightarrow{dF_y}||

= \oint_A -(\overrightarrow{dA} \cdot \overrightarrow{P})

= \oint_A (-\overrightarrow{P}) \cdot \overrightarrow{dA}


= \oint_V \nabla \cdot (-\overrightarrow{P}) d\tau (Divergence Theorem)


= \oint_V (\nabla \cdot (-\rho g(H-y)\hat{j})) d\tau

= \oint_V (\nabla \cdot (\rho g(y-H)\hat{j})) d\tau

= \oint_V \rho g d\tau

= \rho g V = weight of displaced fluid
```









Also available as part of the eCourse 2021 Winning at Deposition eConference

First appeared as part of the conference materials for the 2021 Winning at Deposition: Skills and Strategy session "Developing a Winning Strategy"